

Permatex, Inc.
 10 Columbus Blvd.
 Hartford, CT 06106 USA
 Telephone: 1-87-Permatex
 (877) 376-2839
 Emergency: 800-255-3924

SAFETY DATA SHEET

according to EC Directive 2001/58/EC

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the preparation **SLIK PAK 5TH WHEEL GREASE 4X60 2OZ**
 Item **01010**
 Recommended use **Lubricant**

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Percent	EC Number	Risk Phrases	Exposure limits
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC 64742-52-5	30-40	265-155-0	Carc.Cat. 2; R45 (Note L)	5 mg/m ³ (mist) ACGIH
GRAPHITE 7782-42-5	20-40	231-955-3	None	2 mg/m ³ (respir) ACGIH
RESIDUES (PETROLEUM), VACUUM 64741-56-6	10-20	265-057-8	None	Not listed
MOLYBDENUM DISULFIDE 1317-33-5	1-10	215-263-9	None	Not listed

3. HAZARDS IDENTIFICATION

Classification None
Most Important Hazards: Irritating to eyes and skin.

4. FIRST-AID MEASURES

General advice: If you feel unwell, seek medical advice (show the label where possible)
Inhalation: This product has a very low vapor pressure. Vapor inhalation under ambient conditons is normally not a problem. .
Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes If skin irritation persists, call a physician
Eye Contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice
Ingestion: If swallowed, seek medical advice immediately and show this container or label
Protection of first-aiders Avoid contact with skin, eyes and clothing.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: water spray, carbon dioxide (CO₂), dry chemical, foam.
Extinguishing media which must not be used for safety reasons None reasonably foreseeable
Special instructions for protection and hygiene No hazards to be especially mentioned.
Special protective equipment for firefighters Avoid contact with eyes. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: For additional information on processing see sections 7, 8 and 11 of this safety data sheet
Environmental Precautions: Do not flush into surface water or sanitary sewer system
Methods for Cleaning Up: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. HANDLING AND STORAGE

Safe handling advice Avoid contact with the skin and the eyes. Wash hands before breaks and immediately after handling the product.
Storage Store in cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Provide adequate ventilation
Respiratory Protection: Not required under normal use.
Skin: Rubber or plastic gloves

Eyes: Safety glasses.
Hygiene Measures: When using, do not eat, drink or smoke

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Grey liquid
Odor:	MILD
pH:	Does not apply
Boiling point/range	No information available
Melting point/range	not determined
Flash point	>200°C
risk of explosion	None reasonably foreseeable.
vapor pressure	<0.1 mm Hg
Density:	0.91
Solubility:	Negligible
Partition coefficient (n-octanol/water)	not determined
vapor density	>1 (Air = 1)
Evaporation Rate:	<1 (butyl acetate = 1)
VOC Content(%)	0

10. STABILITY/REACTIVITY

Stability	Stable at normal conditions
Conditions to Avoid:	Not determined.
Materials to Avoid:	strong oxidizing agents
Hazardous decomposition products	carbon oxides

11. TOXICOLOGICAL INFORMATION

Local Effects

Skin Irritation:	May cause skin irritation and/or dermatitis
Eye Irritation:	Irritating, but will not permanently injure eye tissue.
Inhalation	not hazardous by inhalation.
Ingestion:	Irritating to mouth, throat and stomach
Sensitization:	none under normal use
Chronic Toxicity:	None reasonably foreseeable.

Specific Effects

carcinogenic effects	None reasonably foreseeable
mutagenic effects	None reasonably foreseeable
Reproductive toxicity	None reasonably foreseeable
Target Organ Effects:	Eyes, Skin

12 ECOLOGICAL INFORMATION

Ecotoxicity: No information available

13. DISPOSAL CONSIDERATIONS

Waste from Residues: According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

14. TRANSPORT INFORMATION

IATA

Proper Shipping Name:	not regulated
Hazard Class	Not applicable
UN/ID No	Not applicable

IMDG

Proper shipping name	Not applicable
Hazard Class	Not applicable
UN/ID No	Not applicable

ADR/RID

Proper Shipping Name:	Not regulated
Hazard Class	Not applicable

Product name: SLIK PAK 5TH WHEEL GREASE 4X60
2OZ

Item 01010

UN/ID No

None

15. REGULATORY INFORMATION

The product is classified in accordance with Annex VI to Directive 67/548/EEC.

Contains:

Suspect cancer is not applicable - Refer to Section 2..

Indication of Danger:

None

R -phrase(s)

- R36/38 - Irritating to eyes and skin

S -phrase(s)

- S 2 - Keep out of the reach of children
- S24/25 - Avoid contact with skin and eyes

16. OTHER INFORMATION

Text of R phrases mentioned in Section 2

R45 - May cause cancer

Prepared By: Denise Boyd, Health and Safety Manager
Company: Permatex. Inc. 10 Columbus Blvd. Hartford, CT
USA 06106
Telephone 877-376-2839

Revision Date: 02/09/2004
Revision Number: 3